

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	681654	(link\$3 pair\$3 interfac\$3) near5 (device portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 06:59
S4	1145194	(link\$3 pair\$3 interfac\$3) with device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:00
S5	315956	(transmit\$4 send\$3) with (identif\$8 id unique)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:03
S6	123137	(generat\$3 calculat\$3) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:03
S7	145757	(stor\$3 sav\$3) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:03
S8	9387	S3 and S4 and S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:04
S9	6243	S8 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:04

EAST Search History

S10	1445	380/277.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:04
S11	299	380/286.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:05
S12	37	S11 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:05
S13	20772	secure near (session channel communicat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:23
S14	23	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:23
S15	162	S9 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:25
S16	59	S13 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 07:26

EAST Search History

S22	13	((search\$3 find\$3) with key with (previous\$2 past)) and escrow	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 09:24
S23	12	(search\$3 find\$3) with (key near escrow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 09:27
S24	231	(search\$3 find\$3) with (escrow database storage) with key with (previous\$2 past)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 09:29
S25	4	S10 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 09:29
S26	77	((search\$3 find\$3) with (escrow database storage) with key with (previous\$2 past)) and ((transmit\$4 send\$3 embed\$4) with (key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 09:38
S31	90605	(pair\$3 link\$3) with first with second with (portable device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:30
S32	4117	(check\$3 search\$3 verif\$7) with (previous past prior already) with (link\$3 pair\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:31

EAST Search History

S33	73911	(transmit\$4 send\$3) with (device unique) with (id identification identifier serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:32
S34	8314	(generat\$3 calculat\$3 creat\$3) with key with ("use" "using" utiliz\$5 "basing" "base" "based" "used") with (id identification identifier serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:33
S35	12	S31 and S32 and S33 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:34
S36	30	S32 and S33 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:35
S37	18	S36 not S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:36
S38	1404	(search\$3 find\$3 check\$3) with (list\$3 database table) with (previous past prior) with (id identification identifier serial record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:47
S39	8575	(generat\$3 calculat\$3 creat\$3 construct\$3) with key with ("use" "using" utiliz\$5 "basing" "base" "based" "used") with (id identification identifier serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:47

EAST Search History

S40	12	S38 same S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:48
S41	90605	(pair\$3 link\$3) with first with second with (portable device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:57
S42	1404	(search\$3 find\$3 check\$3) with (list\$3 database table) with (previous past prior) with (id identification identifier serial record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:57
S43	8575	(generat\$3 calculat\$3 creat\$3 construct\$3) with key with ("use" "using" utiliz\$5 "basing" "base" "based" "used") with (id identification identifier serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:57
S44	2	S41 and S42 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 10:57
S45	276760	((transmit\$4 send\$3) with (id identification identifier serial))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:02
S46	23092	(transmit\$4 send\$3) with (id identification identifier serial) with (encrypt\$3 encod\$3 secur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:03

EAST Search History

S47	1021	S43 same S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:03
S48	867	S43 with S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:06
S49	19271	"380".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:06
S50	267	S48 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:06
S51	3	S42 and S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:06
S52	4916	(generat\$3 calculat\$3 creat\$3 construct\$3) with key with ("use" "using" utiliz\$5 "basing" "base" "based" "used") near4 (id identification identifier serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:09
S53	1360	S46 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:10

EAST Search History

S54	36	S41 and S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:10
S55	3175	(transmit\$4 send\$3) with (id identification identifier serial) with (generat\$3 creat\$3 calculat\$3) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:17
S56	12583	key near3 ("based" "base" "basing" "using" "use" "used") near4 (id identification identifier serial)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:20
S57	494	S55 with S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:20
S58	156	S49 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:20
S60	9028	(key near3 generator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:50
S61	662	(key near3 generator) with (serial id identification identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:54

EAST Search History

S62	188	S46 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 11:54
S63	26	(transmi\$5 send\$3 transfer\$4) with device adj identifier and key near (calculat\$3 generat\$3 creat\$3) with device adj identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 12:02
S64	39	((transmi\$5 send\$3 transfer\$4) with device adj identifier) same (key with (calculat\$3 generat\$3 creat\$3) with device adj identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 12:06
S65	20	S64 not S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 12:07
S66	1965	(transmi\$5 send\$3 transfer\$4) with device adj identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 12:17
S67	151	(key with (calculat\$3 generat\$3 creat\$3) with device adj identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/28 12:17

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S8	13987	(transmit\$4 send\$3 transfer\$4) with (device near (id identification code serial identity identifier))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 07:15
S9	143104	(generat\$3 calculat\$3 creat\$3) with (key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 07:15
S10	216280	device near3 (id identification identity identifier serial code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 07:15
S11	2416	S9 with S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 07:16
S12	230	S8 same S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 07:16
S13	110961	(transmit\$4 send\$3 tranfer\$4) with key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 07:16
S14	189	S12 same S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 07:16

EAST Search History

S45	42	server with client with (revers\$3 backward) with (authentica\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/29 10:54
-----	----	--	--	----	----	------------------